

# SAROS DESIGN

Stretch Ceilings

## PREMIUM COLLECTION





Saros Design product is a combination of impeccable style, technologies and quality management ensuring the closest attention and control to the finest details. The SAROS DESIGN Quality Management System has been certified according to ISO 9001:2015 quality standard.



In this catalog, you can find samples of stretch ceiling films and textiles of various colors and textures. SAROS DESIGN stretch ceilings manufactured from high-quality PVC films up to 5 m in width meet the requirements of EN 14716:2004 European Standard “Stretch ceilings. Requirements and test methods”

(CE Marking).

We guarantee the high quality of the product we make and provide a 10-year warranty for SAROS DESIGN stretch ceilings.




CE & ISO 9001:2015



Reaction to fire classification:

Bs1d0/Bs2d0



High quality of our products



Competitive prices



25-year experience



Production time starting from 1 day



Wide range of standard products




Individual approach to each project




The 10-year warranty period for stretch ceilings and 2-year warranty period for luminaires



Perforated stretch ceilings



Any image can be printed on SAROS ceilings



Acoustic ceilings

## MATT FINISH

|       |  |       |
|-------|--|-------|
| M 01  |  | M 58  |
| M V01 |  | M 132 |
| M 112 |  | M 05  |
| M 93  |  | M 27  |
| M 99  |  | M 65  |
| M 42  |  | M 33  |
| M 22  |  | M 96  |
| M 95  |  | M 38  |
| M 04  |  | M 03  |

## SATIN FINISH

|       |  |       |
|-------|--|-------|
| S 01  |  | S 08  |
| S 04  |  | S 27  |
| S 31  |  | S 65  |
| S 99  |  | S 131 |
| S 57  |  | S 41  |
| S 58  |  | S 83  |
| S 30  |  | S 97  |
| S 133 |  | S 38  |
| S 22  |  | S 03  |
| S 132 |  |       |

width on request

reaction to fire classification: Bs1d0/Bs2d0



# LACQUER FINISH

|  |       |  |       |  |       |  |       |
|--|-------|--|-------|--|-------|--|-------|
|  | L 01  |  | L 24  |  | L 26  |  | L 68  |
|  | L 100 |  | L 30  |  | L 87  |  | L 19  |
|  | L 103 |  | L 61  |  | L 84  |  | L 20  |
|  | L 38  |  | L 12  |  | L 86  |  | L 35  |
|  | L 53  |  | L 09  |  | L 17  |  | L 34  |
|  | L 54  |  | L 76  |  | L 37  |  | L 70  |
|  | L 55  |  | L 74  |  | L 85  |  | L 05  |
|  | L 28  |  | L 75  |  | L 16  |  | L 81  |
|  | L 03  |  | L 39  |  | L 36  |  | L 31  |
|  | L 57  |  | L 11  |  | L 15  |  | L 06  |
|  | L 58  |  | L 25  |  | L 88  |  | L 07  |
|  | L 04  |  | L 10  |  | L 14  |  | L 60  |
|  | L 29  |  | L 27  |  | L 33  |  | L 104 |
|  | L 42  |  | L 91  |  | L 67  |  | L 64  |
|  | L 101 |  | L 406 |  | L 407 |  | L 63  |
|  | L 40  |  | L 92  |  | L 65  |  | L 105 |
|  | L 23  |  | L 51  |  | L 72  |  | L 45  |
|  | L 79  |  | L 44  |  | L 21  |  | L 43  |
|  |       |  | L 83  |  |       |  |       |

width on request

reaction to fire classification: Bs1d0/Bs2d0

## TRANSLUCENT FINISH

OT 00

OT01 200

OT01 320

OT01 500

OT02 200

OT03 200

OT04 200

OT05 140

## ACOUSTIC FILM

M01 d 0.1 mm

L01 d 0.1 mm

OT01 d 0.1 mm

S03 d 0.1 mm

## TEXTILE DESCOR® PREMIUM

DESCOR® Premium 469

DESCOR® Premium 450

DESCOR® Premium Black

DESCOR® Premium Acoustic

DESCOR® Premium Translucent

DESCOR® Premium Acoustic Black

M01 d 0.3 mm


S01 d 0.3 mm

width on request

reaction to fire classification: Bs1d0/Bs2d0



# EXCLUSIVE FINISH



VE 201

VE 202

VE 203

VE 204

VE 205

VE 206

VE 207

VE 208

VE 209

VE 210

VE 211

VE 212



GD 80

MR 66

MR 64

LT 82


LT 80

XM 323

EX 323

E 322

F 110



ST 81

ST 87

ST 80

ST 82

ST 89

ST 88

ST 84

L 03 GAL

L 01 GAL

width on request



# STRETCH CEILINGS & LIGHTING SOLUTIONS

Development / Design / Production

info@sarosest.com

+372 56152095

+372 3566320

www.sarosest.com

www.saroslight.com



2022

